



Distinctive Lighting

BATHROOM AND KITCHEN COLLECTION 2020



Distinctive Lighting

The Distinctive Lighting collection presents a variety of stylish and inspirational lighting to both illuminate and invigorate your bathroom and kitchen. As part of a larger lighting manufacturing group founded 50 years ago, we have considerable research and design resources to ensure we are able to bring you many stylish options to light your home. NB: This catalogue shows list price excluding VAT.



BATHROOM LIGHTING

This stylish range of products has been specifically designed for use in the bathroom, although they can also be used elsewhere in the home. Offering a choice of both classic and transitional designs, these fittings will add style and elegance to any bathroom setting. All of these products are IP44 rated (the water ingress rating required in many countries for bathroom lighting), making them suitable for Zones 2 and 3. G9 LED lamps are supplied with all fittings listed with G9 lamp holders.

See pages 3-59.

KITCHEN LIGHTING

The use of decorative light fittings in the kitchen has become a common choice as part of the overall design. This collection shows our most commonly chosen models used in kitchen spaces, breakfast bars and serving areas, most of which are transitional and vintage based styles. The majority of pendants are height adjustable to maximise versatility using cords, chains or rods.

See pages 60-103.



BATHROOM LIGHTING

For this modern and sometimes chaotic world we live in, the bathroom has become a place of rejuvenation for the mind, body and soul. Functional and ambient lighting planned into a new bathroom can play a vital part in creating the perfect and relaxing bathing experience.

As the trend moves away from cold and minimalistic bathrooms, lighting is the perfect accessory to help create a warmer and more individual space. Our product designers have taken inspiration from features and trends used on the latest bathroom hardware and accessories to create designs sympathetic with today's style footprint. Many also use LED light sources that look crisp yet burn much less energy, last longer and create far less heat.

In this bathroom lighting collection you will find simplistic beauty as well as opulent statement fittings. Perhaps think of the lighting as part of the design features and whatever your taste, we hope we have the ideal solution for you to enjoy your bathroom more.



Get the look: find out more about this detailed, classic wall light on p51 (code: 22523)

TIPS FOR CHOOSING BATHROOM LIGHTING

Like many stages of choosing a new bathroom, deciding on the lighting and the choice of fittings is very subjective but we have provided some key points that might help you make your choices.

- 1 GET THE RIGHT AMOUNT OF LIGHT. Most bathroom use takes place early in the morning and late at night when artificial lighting is very important. Brightness of light is measured in Lumens, which is detailed on most light source packaging. We recommend using 100 Lumens per square metre. So if your bathroom space is 5m x 4m = 20m squared, then 2000 lumens would be an average light level.
- 2 DECIDE WHERE THE LIGHT WILL COME FROM. The ceiling, the wall or both. Typically a sink and mirror setting requires the most light. You can illuminate this area with wall lights either side, or with an above mirror light. If choosing an above mirror light, ensure its width is no less than 75% and no more than 125% of the mirror for best appearance.
- 3 CONSIDER THE HEIGHT OF YOUR ROOM. Typically, up to 2.4m high ceilings are safest with flush fittings and anything above 2.4m allows for semi-flush fittings. If the ceiling is 3.0m or greater, flush fittings will become lost, and this is when semi-flush fittings or pendants will work best.
- 4 CONSIDER DESIGN, FINISH AND FORM. Usually people choose to match light fitting finishes with the sink hardware. Look at the design details of your intended bathroom hardware and see if there are light fitting styles that accent or complement your chosen designs.
- 5 SHARE YOUR CHOICES WITH YOUR BATHROOM PLANNERS / DESIGNERS. It is important to discuss if you want all lights to operate on one switch or to be split, for example, between ceiling and wall.





TECHNICAL LIGHTING POINTS





Keeping the jargon to a minimum, bathroom lighting should meet certain technical and safety criteria and perform well when switched on. Here are just some of the important things to be aware of:

- 1 DOUBLE CHECK THE FITTING'S DIMENSIONS, and make sure it suits your needs. A catalogue image or web page is hard to entirely depict the size of a product.
- 2 MAKE SURE THE FITTING HAS THE RIGHT IP RATING.
 The IP (Ingress Protection) rating relates to the level of protection products are built with to protect against the ingress of water. All of our products are IP44 or greater.
 To know what IP rating you need for certain parts of the bathroom, see page 6.
- QUALITY MANUFACTURED AS STANDARD. All of our bathroom products are manufactured and tested to UK and European standards, code BS EN60-598-1, which are the safety standards used by all of the lighting industry in Europe and are CE marked to affirm compliance. Always ensure you purchase lights specifically designed for use in the bathroom.
- 4 CHOOSING THE RIGHT LAMP. All our fittings that feature G9 LED lamps are included in the box. These are 3.5W (40W incandescent equivalent) with a light output of 320 lumens. Most other fittings have E27 lampholders, for which there is a wide choice of LED retrofit lamps in the market. We recommend 8W LED lamps for a good level of brightness.

For additional technical details, dimensions and spare parts please refer to our website.

BATHROOM LIGHTING SAFETY

When choosing your lights in the bathroom you need to ensure they have the correct IP rating for the zone they are required for. You can see our diagram below for assistance. The zones are:

ZONE 0 - includes shower cubicles and baths. If the fitting is likely to be submerged in water it will need to be IP67 or greater.


ZONE 1 - where water jets/shower heads are likely, the model must be IP65 or greater. If the fitting is 240 volts, a 30mA residual current device (RCD) must also be used to protect the circuit in this zone.

ZONE 2 – is the area 0.6m outside the perimeter of the bath, shower unit and wash basin (to a height of 2.25m from the floor). IP44 rated products must be used in this zone.

ZONE 3 – is anywhere outside of zones 0, 1 and 2 where no water jet is likely to be used for cleaning purposes. (No IP rating is required for this zone)

Important Notes

- Ceiling lights (excluding above a shower) are generally expected to be IP44 rated or greater.
- All products in our lighting collection are at least IP44 rated and suitable for Zones 2 and above in the bathroom
- We recommend you always engage a qualified electrician to install any bathroom fittings as they should be familiar with IEE wiring regulations.





- · triangular crystal prisms rest in a Polished Chrome frame
- · rounded crystals on the bottom reflect inner light
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

2lt Wall Light

H: 279mm W: 165mm P: 99mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

25932

8lt Island Chandelier

H: 127mm W: 654mm D: 191mm Drop Range: 300mm - 2007mm Finish: Polished Chrome (PC) Max. Wattage: 8 x 3.5W LED G9 IP Rating: IP44

30389

2lt Mini Pendant

H: 295mm W: 167mm Drop Range: 360mm - 2159mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

31241

12lt Island Pendant

H: 134mm W: 894mm D: 298mm Drop Range: 305mm - 1993mm Finish: Polished Chrome (PC) Max. Wattage: 12 x 3.5W LED G9 IP Rating: IP44



25934 £257.50







- triangular crystal prisms rest in a Polished Chrome frame
- rounded crystals on the bottom reflect inner light
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

25933

6lt Pendant

H: 127mm W: 438mm Drop Range: 300mm - 1359mm Finish: Polished Chrome (PC) Max. Wattage: 6 x 3.5W LED G9 IP Rating: IP44

25935

8lt Chandelier

H: 127mm W: 527mm Drop Range: 300mm - 1359mm Finish: Polished Chrome (PC) Max. Wattage: 8 x 3.5W LED G9 IP Rating: IP44





- · vintage inspired design
- · clear glass rods
- · opal glass diffuser on pendants and flush fittings
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

4lt Bar Light

H: 737mm W: 120mm P: 144mm Finish: Polished Chrome (PC) Max. Wattage: 4 x 3.5W LED G9 IP Rating: IP44

Fitting can be mounted horizontally and vertically.

30291

3lt Pendant

H: 514mm W: 246mm P: 205mm **Drop Range:** 619mm - 1685mm (Supplied with 3 x 305mm & 1 x 152mm rods .) Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 IP Rating: IP44

30295

1lt Wall Light

H: 380mm W: 120mm P: 133mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44







- vintage inspired design
- · clear glass rods
- · opal glass diffuser on pendants and flush fittings
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

30293

3lt Small Flush Mount

H: 160mm W: 280mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 IP Rating: IP44

30292

4lt Medium Flush Mount

H: 160mm W: 380mm Finish: Polished Chrome (PC) Max. Wattage: 4 x 3.5W LED G9 IP Rating: IP44

30294

2lt Mini Pendant

H: 316mm W: 134mm P: 130mm **Drop Range:** 415mm - 1482mm (Supplied with 3 x 305mm & 1 x 152mm rods.)

Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

31028

6lt Pendant

H: 295mm W: 537mm Drop Range: 400mm - 1757mm (Supplied with 4 x 305mm & 1 x 152mm rods .)

Finish: Polished Chrome (PC) Max. Wattage: 6 x 3.5W LED G9 IP Rating: IP44

30296

2lt Bar Light

H: 120mm W: 583mm P: 133mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

Fitting can be mounted horizontally and vertically.

£215.00

- · combination of industrial-era detailing and soft modern style
- · seeded glass shade
- · versatile for both traditional and modern bathrooms
- recommend using a Classic E27 LED bulb. See below

58109 1lt Wall Light

H: 561mm W: 127mm P: 189mm Finish: Brushed Brass (BB) Max. Wattage: $1 \times 40 \text{W}$ E27 IP Rating: IP44

58110 1lt Wall Light

H: 561mm W: 127mm P: 189mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 40W E27 IP Rating: IP44








LED E27 LAMP 28605-£13.00 See page 104



58275 £150.00



• tall and compact wall light

58275

1lt Wall Light

H: 400mm W: 81mm D: 122mm Finish: Aged Brass (AB) Max. Wattage: 1 x 60W E27 IP Rating: IP44

58276

1lt Wall Light

H: 400mm W: 81mm D: 122mm Finish: Polished Chrome (PC) Max. Wattage: 1×60 W E27 IP Rating: IP44







Model shown: 18977

- · inspired by shelf candle holders
- 27684 and 27685 have sleek stepped backplates and white opal etched glass shades
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

27684

1lt Wall Light

H: 406mm W: 114mm P: 128mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

27685

1lt Wall Light

H: 241mm W: 114mm P: 128mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

18977

1lt Wall Light

H: 360mm W: 120mm P: 111mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9

IP Rating: IP44





£112.50



27685

£95.00



18977 £225.00

- contemporary torchiere inspired by the olympic torch
- cut glass shade
- both supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

1lt Wall Light

H: 506mm W: 126mm P: 200mm Finish: Polished Gold (PG) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

28633

1lt Wall Light

H: 506mm **W**: 126mm **P**: 200mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9







- · integral LED lights up an acrylic rod on the wall light and 3lt pendant
- · clear cut glass shades
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

30222

1lt Pendant/Semi-Flush

H: 321mm W: 134mm Drop Range: 401mm - 1301mm (Supplied with 2 x 300mm & 2 x 150mm rods.)

Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

Duo-mount/semi-flush convertible.

28624

2lt Wall Light

H: 493mm W: 135mm P: 215mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 & 1W Integrated LED IP Rating: IP44

30224

3lt Pendant/Semi-Flush

H: 333mm W: 470mm **Drop Range:** 412mm - 1312mm (Supplied with 2 x 300mm & 2 x 150mm rods.)

Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 & 1W Integrated LED IP Rating: IP44

Duo-mount/semi-flush convertible. Each integrated 1W LED = 70Lm, 3000k







Model shown: 25701







£212.50

- · traditional bathroom castings
- · opal etched glass shades
- all models except flush mount are supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

25699

2lt Flush Mount

H: 143mm W: 318mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 60W E27 IP Rating: IP44

27735

1lt Mini Pendant

H: 244mm W: 74mm Drop Range: 324mm - 1203mm (Supplied with 1 x 150mm & 3 x 300mm rods.) Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

25700

1lt Wall Light

H: 362mm W: 114mm P:117mm Finish: Polished Chrome (PC) Max. Wattage: 1 × 3.5W LED G9 IP Rating: IP44

25702

1lt Wall Light

H: 362mm W: 114mm P: 114mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

25701

2lt Wall Light

H: 502mm W: 114mm P: 127mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

Can be mounted horizontally or vertically.

25703

2lt Wall Light

H: 559mm W: 114mm P: 124mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

Can be mounted horizontally or vertically.

- · vintage cage design
- · clear glass shades
- · recommended for use with LED lamps. See below

2lt Wall Light

H: 140mm W: 518mm P: 149mm Finish: Dark Antique Brass (DAB) Max. Wattage: 2 x 40W E27 IP Rating: IP44

52595

3lt Vanity Wall Light

H: 311mm W: 543mm P: 184mm Finish: Dark Antique Brass (DAB) Max. Wattage: 3 x 40W E27 IP Rating: IP44





OPTIONAL



LED E27 LAMP 28605-£13.00 See page 104



vintage cage design

- · clear glass shades
- recommended for use with LED lamps. See p20

52597

1lt Pendant

H: 379mm W: 140mm Drop Range: 453 - 1520mm (Supplied with 3 x 305mm & 1 x 152mm rods) Finish: Dark Antique Brass (DAB) Max. Wattage: 1 x 40W E27

52593

1lt Wall Light

IP Rating: IP44

H: 311mm W: 140mm P: 197mm Finish: Dark Antique Brass (DAB) Max. Wattage: 1 × 40W E27 IP Rating: IP44

52596

3lt Semi-Flush Mount

H: 149mm W: 654mm Finish: Dark Antique Brass (DAB) Max. Wattage: 3 x 40W E27 IP Rating: IP44



- · inspired by American barn lights
- · cast socket covers
- · mesh shades
- · two-tone Antique Nickel with Heritage Brass finish
- · clear seeded glass shades
- · recommended with LED filament bulbs below

1lt Wall Light

H: 300mm W: 203mm P: 220mm Finish: Antique Nickel / Dark Aged Brass (AN/DAB) Max. Wattage: 1 x 40W E27 IP Rating: IP44

58254

2lt Wall Light

H: 301mm W: 483mm P: 220mm Finish: Antique Nickel / Dark Aged Brass (AN/DAB) Max. Wattage: 2 × 40W E27 IP Rating: IP44

58256

3lt Wall Light

H: 304mm W: 686mm P: 220mm Finish: Antique Nickel / Dark Aged Brass (AN/DAB) Max. Wattage: 3 × 40W E27 IP Rating: IP44








OPTIONAL



LED E27 LAMP 28605-£13.00 See page 104







- · cast socket covers
- · mesh shades
- · polished Chrome finish
- · clear seeded glass shades
- · recommended with LED filament bulbs below

1lt Wall Light

H: 300mm W: 203mm P: 220mm Finish: Polished Chrome (PC) Max. Wattage: 1 × 40W E27 IP Rating: IP44

58255

2lt Wall Light

H: 301mm W: 483mm P: 220mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 40W E27 IP Rating: IP44

58257

3lt Wall Light

H: 304mm W: 686mm P: 220mm Finish: Polished Chrome (PC) Max. Wattage: 3 × 40W E27 IP Rating: IP44



OPTIONAL



LED E27 LAMP 28605-£13.00 See page 104



Model shown: 18952



18768

£110.00



52522

£95.00



18952

£212.50



 traditionally inspired bathroom wall fittings

· opal cased glass

• all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

18768

1lt Wall Light

H: 230mm W: 110mm P: 135mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED

G9

IP Rating: IP44

52522

1lt Wall Light

H: 406mm W: 121mm P: 162mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9

IP Rating: IP44

18952

1lt Wall Light

H: 360mm W: 120mm P: 113mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9

IP Rating: IP44

25684

1lt Wall Light

H: 216mm W: 129mm P: 160mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

Supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k



- · vintage industrial design
- jar-shape clear seedy glass shades
- available in Polished Chrome or Brushed Brass finishes
- · recommended for use with LED lamps. See below

1lt Wall Light

H: 244mm W: 127mm P: 149mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 40W E27 IP Rating: IP44

58181

2lt Wall Light

H: 259mm W: 374mm P: 145mm Finish: Polished Chrome (PC) Max. Wattage: 2 × 40W E27 IP Rating: IP44

58183

3lt Wall Light

H: 257mm W: 603mm P: 183mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 40W E27 IP Rating: IP44















- jar-shape clear seedy glass shades
- available in Polished Chrome or Brushed Brass finishes
- · recommended for use with LED lamps. See below

58178

1lt Wall Light

H: 244mm W: 127mm P: 149mm Finish: Brushed Brass (BB) Max. Wattage: $1 \times 40 \text{W}$ E27 IP Rating: IP44

58180

2lt Wall Light

H: 259mm W: 374mm P: 145mm Finish: Brushed Brass (BB) Max. Wattage: 2 x 40W E27 IP Rating: IP44

58182

3lt Wall Light

H: 257mm W: 603mm P: 183mm Finish: Brushed Brass (BB) Max. Wattage: 3 × 40W E27 IP Rating: IP44



OPTIONAL



LED E27 LAMP 28605-£13.00 See page 104

- · suitable for use anywhere in the home, including the bathroom
- · can mount facing up or down
- · large bubble glass shade
- recommend using an Edison style LED bulb

30230 1lt Wall Light

H: 300mm W: 120mm P: 189mm Finish: Brushed Brass (BB) Max. Wattage: 1 x 40W E27 IP Rating: IP44

30231 1lt Wall Light

H: 300mm W: 120mm P: 189mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 40W E27 IP Rating: IP44



OPTIONAL



LED E27 LAMP 28606-£15.00 See page 104



- · Petite ceiling flush mount
- Detailed pressed glass shades with prismatic look
- Polished Chrome or Painted Natural Brass effect

58283

1lt Semi-Flush

H: 205mm W: 182mm D: 182mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 60W E27 IP Rating: IP44

58284

1lt Semi-Flush

H: 205mm W: 182mm D: 182mm Finish: Painted Natural Brass (PNB) Max. Wattage: 1 × 60W E27 IP Rating: IP44

58281

1lt Wall Light

H: 246mm W: 165mm D: 200mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

58282

1lt Wall Light

H: 246mm W: 165mm D: 200mm Finish: Painted Natural Brass (PNB) Max. Wattage: 1 × 3.5W LED G9 IP Rating: IP44



Model shown: 25624







- · inspired by the colonial era with classic goose neck arm
- 4 sided opal-etched glass shades
- · cut corner detail on the chamfered back plate
- can be used facing up or down
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

25622

1lt Wall Light

H: 257mm W: 117mm P: 152mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

25623

3lt Bar Light

H: 257mm W: 356mm P: 152mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

3lt Bar Light

25624

H: 257mm W: 533mm P: 152mm Finish: Polished Chrome (PC) Max. Wattage: 3 × 3.5W LED G9 IP Rating: IP44

25625

4lt Bar Light

H: 257mm W: 762mm P: 152mm Finish: Polished Chrome (PC) Max. Wattage: 4 x 3.5W LED G9 IP Rating: IP44



- · clean lines and refined details
- solid clear ribbed glass
- · can be used facing up or downwards
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

1lt Wall Light

H: 242mm W: 130mm P: 180mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

58156

2lt Wall Light

H: 242mm W: 406mm P: 196mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

58157

3lt Wall Light

H: 242mm W: 610mm P: 196mm Finish: Polished Chrome (PC) Max. Wattage: 3 × 3.5W LED G9 IP Rating: IP44

58158

4lt Wall Light

H: 242mm W: 822mm P: 196mm Finish: Polished Chrome (PC) Max. Wattage: 4 x 3.5W LED G9 IP Rating: IP44















· updated classical style

- · linear cut glass shades
- can be used facing up or downwards
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

58230

1lt Wall Light

H: 250mm W: 136mm P: 168mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

58231

2lt Wall Light

H: 250mm W: 352mm P: 167mm Finish: Polished Chrome (PC) Max. Wattage: 2 × 3.5W LED G9 IP Rating: IP44

58232

3lt Wall Light

H: 250mm W: 560mm P: 167mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 IP Rating: IP44

58233

4lt Wall Light

H: 250mm W: 784mm P: 167mm Finish: Polished Chrome (PC) Max. Wattage: 4 x 3.5W LED G9 IP Rating: IP44



£245.00

- thick, multi-faceted, clear pressed crystal glass shades
- both supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

27717 1lt Wall Light

H: 155mm W: 127mm P: 165mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

Can be mounted as up or down light.

27718

3lt Bar Light

H: 161mm W: 508mm P: 170mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 IP Rating: IP44

Can be mounted as up or down light.





27717 £85.00

27717











· classic bath bar fittings with 1930s inspiration

- · clear ribbed glass shades etched inside
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

27848

1lt Wall Light

H: 241mm W: 127mm P: 172mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

27849

2lt Bar Light

H: 241mm W: 406mm P: 186mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

27850

3lt Bar Light

H: 241mm W: 610mm P: 186mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 IP Rating: IP44

27851

4lt Bar Light

H: 241mm W: 827mm P: 186mm Finish: Polished Chrome (PC) Max. Wattage: 4 x 3.5W LED G9 IP Rating: IP44





Model shown: 27755





· traditional silhouette with opal glass shades

• all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

27754

1lt Wall Light

H: 191mm W: 160mm P: 206mm Finish: Polished Chrome (PC) Max. Wattage: 1 × 3.5W LED G9 IP Rating: IP44

27755

2lt Bar Light

H: 231mm W: 406mm P: 206mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

27756

3lt Bar Light

H: 231mm W: 610mm P: 206mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 IP Rating: IP44



- traditional schoolhouse shape
- · clear seedy glass
- · Polished Chrome finish

1lt Wall Light

H: 221mm W: 170mm P: 211mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 40W E27 IP Rating: IP44

58264

2lt Wall Light

H: 201mm W: 449mm P: 201mm Finish: Polished Chrome (PC) Max. Wattage: 2 × 40W E27 IP Rating: IP44

58265

3lt Wall Light

H: 201mm W: 634mm P: 201mm Finish: Polished Chrome (PC) Max. Wattage: 3 × 40W E27 IP Rating: IP44









BATHROOM







· classical design inspiration

- · clear cut glass shades
- · can be used facing up or downwards
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

58219

1lt Wall Light

H: 160mm W: 130mm P: 193mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

58220

2lt Wall Light

H: 160mm W: 345mm P: 193mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

58221

3lt Wall Light

H: 160mm W: 545mm P: 193mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 IP Rating: IP44

58222

4lt Wall Light

H: 160mm W: 818mm P: 193mm Finish: Polished Chrome (PC) Max. Wattage: 4 x 3.5W LED G9 IP Rating: IP44



- · variety of traditional and vintage styles
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

1lt Wall Light

H: 220mm W: 124mm P: 165mm Finish: Grey Bronze Patina (GBP) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

27795

1lt Wall Light

H: 220mm W: 124mm P: 165mm Finish: Polished Antique Nickel (PAN)

Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

58246

1lt Wall Light

H: 220mm W: 124mm P: 165mm Finish: Burnished Brass (BRB) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

30227

1lt Wall Light

H: 205mm (short finial) / 260mm (long finial) W: 127mm P: 180mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

Customisable wall light can be mounted facing up or down and comes with 2 different finials to create a unique look





27795 £120.00





30227 £87.50

58246

£137.50







- · contemporary take on colonial look with a circular backplate
- pressed opal etched glass shades
- · suitable to be facing up or down
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

1lt Wall Light

H: 248mm W: 133mm P: 152mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

25667

2lt Bar Light

H: 248mm W: 330mm P: 152mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9

IP Rating: IP44

25668

3lt Bar Light

H: 248mm W: 533mm P: 152mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 IP Rating: IP44





Model shown: 18767



- traditional castings with large opal glass shades
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

1lt Wall Light

H: 285mm W: 170mm P: 210mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

18767

3lt Chandelier

H: 410mm W: 450mm Finish: Polished Chrome (PC) Max. Wattage: $3 \times 3.5 \text{W}$ LED G9

IP Rating: IP44



- · medium contemporary wall lights
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

2lt Wall Light

H: 559mm W: 165mm P: 98mm Finish: Polished Brass (PB) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

27882

2lt Wall Light

H: 559mm W: 165mm P: 98mm Finish: Brushed Pewter (BPW) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

27885

2lt Wall Light

H: 559mm W: 165mm P: 98mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

27883

2lt Wall Light

H: 559mm W: 165mm P: 98mm Finish: Natural Brass (NB) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44



BATHROOM

- · an integrated LED module illuminates the frame on wall light model
- French Gold finish comes with a white fabric shade, and the Polished Chrome comes with a black fabric shade
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

30226

3lt Semi-Flush

H: 424mm W: 400mm Finish: Polished Gold (PG) Max. Wattage: 3 x 3.5W LED G9

IP Rating: IP44

30225

3lt Semi-Flush

H: 424mm W: 400mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 IP Rating: IP44

28628

2lt Wall Light

H: 424mm W: 220mm P: 164mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 & 1W Integrated LED IP Rating: IP44

Each integrated 1W LED = 70Lm, 3000k

28795

2lt Wall Light

H: 424mm W: 220mm P: 164mm Finish: Polished Gold (PG) Max. Wattage: 1 x 3.5W LED G9 & 1W Integrated LED IP Rating: IP44

Each integrated 1W LED = 70Lm, 3000k







28628 £145.00



Wall lights have a fitted LED downlighter to illuminate the heart

- · linear style and precise design
- · opal etched glass shades
- all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

3lt Semi-Flush

H: 291mm W: 416mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 IP Rating: IP44

27923

1lt Large Wall Light

H: 489mm W: 114mm P: 130mm Finish: Polished Chrome (PC) Max. Wattage: 1 × 3.5W LED G9 IP Rating: IP44

27924

1lt Small Wall Light

H: 195mm W: 114mm P: 137mm Finish: Polished Chrome (PC) Max. Wattage: 1 × 3.5W LED G9 IP Rating: IP44

27925

3lt Bar Light

H: 191mm W: 533mm P: 142mm Finish: Polished Chrome (PC) Max. Wattage: 3 × 3.5W LED G9 IP Rating: IP44



27924

£80.00



BATHROOM









27866 £200.00

• satin-etched cased opal glass

• all supplied with 3.5W LED G9 bulb(s) = 320Lm each, 3000k

27864

3lt Semi-Flush

H: 253mm W: 381mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 IP Rating: IP44

27865

1lt Wall Light

H: 306mm W: 127mm P: 202mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

27866

2lt Bar Light

H: 197mm W: 367mm P: 163mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

27867

3lt Bar Light

H: 197mm W: 610mm P: 163mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 3.5W LED G9 IP Rating: IP44



27867 £275.00



Models shown: 23784



- · assorted classical polished brass backplates
- either tall clear fluted glass or short ribbed glass
- all supplied with a 3.5W LED G9 bulb = 320Lm, 3000k

1lt Wall Light

H: 240mm W: 140mm P: 165mm Finish: Polished Brass (PB) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

23776

1lt Wall Light

H: 340mm W: 120mm P: 215mm Finish: Polished Brass (PB) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

23783

1lt Wall Light

H: 330mm W: 140mm P: 140mm Finish: Polished Brass (PB) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

23784

1lt Wall Light

H: 410mm W: 120mm P: 120mm Finish: Polished Brass (PB) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

- · assorted classical polished chrome backplate
- · either tall clear fluted glass or short ribbed glass
- all supplied with a 3.5W LED G9 bulb = 320Lm, 3000k

1lt Wall Light

H: 330mm W: 140mm P: 140mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

22536

1lt Wall Light

H: 410mm W: 120mm P: 120mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

22523

1lt Wall Light

H: 220mm W: 140mm P: 165mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

22528

1lt Wall Light

H: 340mm W: 120mm P: 215mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9

IP Rating: IP44



CHROME OR NICKEL?

Polished Chrome and Polished Nickel may seem very similar, but Chrome has a more blue tone while Nickel is warmer in colour. Polished Chrome doesn't tarnish or require frequent polishing. Polished Nickel will tarnish in a moist environment and require maintaining from time to time.







22523

£192.50











- · assorted classical polished nickel backplate
- either tall clear fluted glass or short ribbed glass
- all supplied with a 3.5W LED G9 bulb = 320Lm, 3000k

1lt Wall Light

H: 240mm W: 140mm P: 165mm Finish: Polished Nickel (PN) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

22564

1lt Wall Light

H: 340mm W: 120mm P: 215mm Finish: Polished Nickel (PN) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

22571

1lt Wall Light

H: 330mm W: 140mm P: 140mm Finish: Polished Nickel (PN) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

22572

1lt Wall Light

H: 410mm W: 120mm P: 120mm Finish: Polished Nickel (PN) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44




Models shown: 23789

BATHROOM



CHROME OR NICKEL?

Polished Chrome and Polished Nickel may seem very similar, but Chrome has a more blue tone while Nickel is warmer in colour. Polished Chrome doesn't tarnish or require frequent polishing. Polished Nickel will tarnish in a moist environment and require maintaining from time to time.



- · long opal glass
- all supplied with a 3.5W LED G9 bulb = 320Lm, 3000k

23842

1lt Wall Light

H: 280mm W: 90mm P: 130mm Finish: Polished Brass (PB) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

23789

1lt Wall Light

H: 280mm W: 90mm P: 130mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

23841

1lt Wall Light

H: 280mm W: 90mm P: 130mm Finish: Polished Nickel (PN) Max. Wattage: 1 x 3.5W LED G9 IP Rating: IP44

23790

2lt Wall Light

H: 90mm W: 470mm P: 130mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

23844

2lt Wall Light

H: 90mm W: 470mm P: 130mm Finish: Polished Brass (PB) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44

23843

2lt Wall Light

H: 90mm W: 470mm P: 130mm Finish: Polished Nickel (PN) Max. Wattage: 2 x 3.5W LED G9 IP Rating: IP44









23843 £250.00

- · slim design
- · LED bulbs recommended
- · available in Antique Nickel, Brushed Bronze, Chrome and Oil Rubbed Bronze
- · Clear or Opal glass options available at same price

58209 - clear glass 58307 - opal glass 2lt Flush Mount

H: 117mm W: 305mm Finish: Antique Nickel (AN) Max. Wattage: 2 × 40W E27 IP Rating: IP44

58210 - clear glass 58308 - opal glass 2lt Flush Mount

H: 117mm W: 305mm Finish: Aged Brass (AB) Max. Wattage: 2 x 40W E27 IP Rating: IP44

58211 - clear glass 58309 - opal glass 2lt Flush Mount

H: 117mm W: 305mm Finish: Polished Chrome (PC) Max. Wattage: 2 × 40W E27 IP Rating: IP44

58212 - clear glass 58310 - opal glass 2lt Flush Mount

H: 117mm W: 305mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 2 x 40W E27 IP Rating: IP44

58209 £225.00



58210 £225.00





58212 £225.00

OPTIONAL



LED E27 LAMP 28605-£13.00 See page 104

All finishes available with opal glass.



58307 £225.00





58214 £137.50





58216 £137.50



- · LED bulbs recommended
- · available in Antique Nickel, Brushed Bronze, Chrome and Oil Rubbed Bronze
- · Clear or Opal glass options available at same price

58213 - clear glass 58303 - opal glass 1lt Flush Mount

H: 185mm W: 196mm Finish: Antique Nickel (AN) Max. Wattage: 1 x 40W E27 IP Rating: IP44

58214 - clear glass 58304 - opal glass 1lt Flush Mount

H: 185mm W: 196mm Finish: Aged Brass (AB) Max. Wattage: 1 x 40W E27 IP Rating: IP44

58215 - clear glass 58305 - opal glass 1lt Flush Mount

H: 185mm W: 196mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 40W E27 IP Rating: IP44

58216 - clear glass 58306 - opal glass 1lt Flush Mount

H: 185mm W: 196mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 x 40W E27 IP Rating: IP44

58306 f137.50



All finishes available with opal glass.

OPTIONAL



LED E27 LAMP 28605-£13.00 See page 104

- · ultra flat profile with a high quality integrated LED module (not dimmable)
- all IP54 rated



1lt Medium Flush Light

H: 40mm W: 361mm Finish: Aged Brass (AB) Max. Wattage: 25W Integrated LED

LED details: 2250Lm, 3000k



30488

Mini LED Flush Light

H: 48mm W: 245mm Finish: Aged Brass (AB) Max. Wattage: 12W Integrated LED LED details: 1080Lm, 3000k

28636

1lt Medium Flush Light

H: 40mm W: 361mm Finish: Polished Brass (PB) Max. Wattage: 25W Integrated LED LED details: 2250Lm, 3000k



30489

Mini LED Flush Light

H: 48mm W: 245mm Finish: Polished Brass (PB) Max. Wattage: 12W Integrated LED LED details: 1080Lm, 3000k



28637

1lt Medium Flush Light

H: 40mm W: 361mm Finish: Polished Chrome (PC) Max. Wattage: 25W Integrated LED LED details: 2250Lm, 3000k



30490

Mini LED Flush Light

H: 48mm W: 245mm Finish: Polished Chrome (PC) Max. Wattage: 12W Integrated LED LED details: 1080Lm, 3000k



BATHROOM







 also suitable for corridors and low ceiling living spaces

· opal glass

 all supplied with a 9W LED GX53 lamp = 720Lm, 3000k, 30.000 hrs

28630

1lt Large Flush

H: 95mm W: 290mm
Finish: Polished Gold (PG)
Max. Wattage: 1 x 9W LED GX53

IP Rating: IP44

28629

1lt Large Flush

H: 95mm W: 290mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 9W LED GX53

IP Rating: IP44

28632

1lt Medium Flush Light

H: 85mm W: 235mm Finish: Polished Gold (PG) Max. Wattage: 1 x 9W LED GX53

IP Rating: IP44

28631

1lt Medium Flush Light

H: 85mm W: 235mm Finish: Polished Chrome (PC) Max. Wattage: 1 x 9W LED GX53

IP Rating: IP44



- · suitable for classic and modern interiors
- · opal etched glass shades

2lt Flush Mount

H: 143mm W: 335mm P: 335mm Finish: Polished Chrome (PC) Max. Wattage: 2 × 40W E27 IP Rating: IP44

52453 3lt Flush Mount

H: 170mm W: 381mm P: 381mm Finish: Polished Chrome (PC) Max. Wattage: 3 x 40W E27

IP Rating: IP44





BATHROOM





ceiling flush mounts of varying styles

· all use opal glass shades

25683

2lt Flush Mount

H: 156mm W: 335mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 40W E27 IP Rating: IP44

30458

2lt Flush Mount

H: 136mm W: 327mm Finish: Polished Chrome (PC) Max. Wattage: 2 x 40W E27 IP Rating: IP44

30445

2lt Flush Mount

H: 142mm W: 345mm Finish: Brushed Nickel (BN) Max. Wattage: 2 x 40W E27 IP Rating: IP44



KITCHEN LIGHTING


Kitchens are often the hub of the home. They need bright task lighting which is usually achieved through ceiling down lights or under cabinet lighting, but it's decorative lighting that completes the design of a kitchen. The additional style and ambience they bring to a kitchen transforms relaxed and social moments.




OUR TOP TIPS

Decorative lighting can be chosen to compliment the architecture and styling of the room. Distinctive Lighting offer a great range of traditional, transitional and more contemporary fixtures. Try to match the finish of the tap or handle hardware used within the kitchen to the lighting fixture metal – but if you are more daring with design then look to choose a statement and contrast piece over the island or counter.







BEST PRACTICE

A group of pendants is ideal for islands and breakfast bars, hung in pairs or odd numbered groups, depending on size. Keep in mind that the pendants should not prevent those standing around the island from seeing one another. Every space is different so heights will vary, but pendants should typically be hung with the bottom of the fixture 28"-34" (71-86cm) from the countertop.

To size a fixture over a dining table, measure the length and width of the room or dining space in feet and add those figures together. The sum converted to inches will equal the right sized chandelier.

EXAMPLE: 14' + 20' = 34' (aim for a 34"/ 86cm diameter chandelier/pendant)

The bottom of the chandelier should sit approximately 32"-34" (81-86cm) above the table top.



Models shown: 30382



- classic orb shaped pendants
- two ribbed glass domes
- traditional metalwork details

3lt Pendant

H: 674mm **W**: 384mm

Drop Range: 789 mm - 1703 mm (Supplied with $2 \times 152 \text{mm} \& 2 \times 152 \text{mm}$

305mm rods.)

Finish: Natural Brass (NB) Max. Wattage: 3 × 60W E14

30382

3lt Pendant

H: 674mm W: 384mm

Drop Range: 789mm - 1703mm (Supplied with 2 x 152mm & 2 x $\,$

305mm rods.)

Finish: Polished Nickel (PN) Max. Wattage: 3 x 60W E14



Models shown: 25589







- Victorian inspired pendants
- · clear glass orbs
- · vintage cast rosette details
- · decorative cast ceiling canopy

3lt Pendant Chandelier

H: 549mm W: 371mm Drop Range: 711mm - 2235mm (Supplied with 1524mm of chain.) Finish: Silver Bronze Patina (SBP) Max. Wattage: 3 × 60W E14

25589

3lt Pendant Chandelier

H: 549mm W: 371mm Drop Range: 711mm - 2235mm (Supplied with 1524mm of chain.) Finish: Antique Nickel (AN) Max. Wattage: 3 × 60W E14

25592

4lt Pendant Chandelier

H: 679mm W: 498mm Drop Range: 832mm - 2356mm (Supplied with 1524mm of chain.) Finish: Silver Bronze Patina (SBP) Max. Wattage: 4 × 60W E14

25591

4lt Pendant Chandelier

H: 679mm W: 498mm Drop Range: 832mm - 2356mm (Supplied with 1524mm of chain.) Finish: Antique Nickel (AN) Max. Wattage: 4 × 60W E14



Models shown: 30257

KITCHEN



- minimalistic Scandinavian pendant
- integrated LED
- customise with choice of chrome or brass fitters

30256

Medium LED Pendant

H: 432mm W: 358mm

Drop Range: 532mm - 5066mm (Supplied with 4572mm of cord.)

Finish: White (WHT)

Max. Wattage: 14W Integrated LED LED details: 1000Lm, 3000k

30257

Medium LED Pendant

H: 432mm **W**: 358mm

Drop Range: 532mm - 5066mm (Supplied with 4572mm of cord.) **Finish:** Matte Black (MBK)

(White inside)

Max. Wattage: 14W Integrated LED LED details: 1000Lm, 3000k



Models shown: 30247



modern dome kitchen pendants

- integrated LED projects light up and out of the dome
- all integrated LEDs are dimmable
- adjustable steel wires and decorative textile cable

30247

Large LED Pendant

H: 137mm W: 500mm **Drop Range:** 244mm - 1671mm (Supplied with adjustable steel wire - 1524mm.)

Finish: White (WHT)
Max. Wattage: 36W Integrated

LED details: 1847Lm, 2700k

Pendant can be installed at an angle to customise the direction of light.

30246

Medium LED Pendant

H: 179mm W: 350mm

Drop Range: 286mm - 1716mm (Supplied with adjustable steel wire - 1524mm.)

Finish: White (WHT)
Max. Wattage: 20W Integrated
LED

LED details: 938Lm, 2700k

Pendant can be installed at an angle to customise the direction of light.

30245

Small LED Pendant

H: 186mm W: 180mm **Drop Range:** 294mm - 1720mm (Supplied with adjustable steel

wire - 1524mm.)
Finish: White (WHT)

Max. Wattage: 18W Integrated

LED

LED details: 538Lm, 2700k



Models shown: 18770

KITCHEN

- French mid 1900s style
 bistro and café style pendants
 - · rise and fall pendants

18770

1lt Rise and Fall Pendant

H: 230mm W: 370mm Drop Range: 895mm - 1800mm Finish: Polished Nickel (PN) Max. Wattage: 1 × 100W E27

18771

1lt Rise and Fall Pendant

H: 230mm W: 370mm Drop Range: 895mm - 1800mm Finish: Aged Brass (AB) Max. Wattage: 1 x 100W E27

18772

1lt Rise and Fall Pendant

H: 230mm W: 370mm Drop Range: 895mm - 1800mm Finish: Old Bronze (OBZ) Max. Wattage: 1 x 100W E27





- French mid 1900s style
- · bistro and café style
- metal wall lights or simple cord pendants

1lt Wall Light

H: 275mm W: 210mm P: 340mm Finish: Old Bronze (OBZ) Max. Wattage: 1 x 60W E27

25190

1lt Wall Light

H: 275mm W: 210mm P: 340mm Finish: Polished Nickel (PN) Max. Wattage: 1 x 60W E27

25188

1lt Wall Light

H: 280mm W: 210mm P: 360mm Finish: Aged Brass (AB) Max. Wattage: 1 × 60W E27

24991

1lt Pendant

H: 230mm W: 370mm Drop Range: 280mm - 2000mm (Supplied with 1600mm of cord.) Finish: Old Bronze (OBZ) Max. Wattage: 1 × 100W E27

24992

1lt Pendant

H: 230mm W: 370mm Drop Range: 280mm - 2000mm (Supplied with 1693mm of cord.) Finish: Polished Nickel (PN) Max. Wattage: 1 x 100W E27

24990

1lt Pendant

H: 230mm **W**: 370mm

Drop Range: 280mm - 2000mm (Supplied with 1693mm of cord.) **Finish:** Aged Brass (AB) **Max. Wattage:** 1 x 100W E27







- · classic antique styling
- · versatile design to suit a variety of decors
- · clear seeded glass

1lt Wall Light

H: 292mm W: 175mm P: 235mm Finish: Brushed Pewter (BPW) Max. Wattage: 1 x 60W E27

58142

1lt Pendant

H: 217mm W: 127mm Drop Range: 338mm - 1264mm (Supplied with 2×152 mm & $2 \times$ 305mm rods.)

Finish: Natural Brass (NB) Max. Wattage: 1 x 60W E27

58136

1lt Wall Light

H: 292mm W: 175mm P: 235mm Finish: Natural Brass (NB) Max. Wattage: 1 × 60W E27

58141

1lt Pendant

H: 217mm W: 127mm

Drop Range: 338mm - 1264mm (Supplied with 2 x 152mm & 2 x 305mm rods.)

Finish: Brushed Pewter (BPW) Max. Wattage: 1 × 60W E27



Model shown: 27713



- industrial inspired pendantspivot detail adds authenticity
- · clear seedy glass shade(s)

1lt Medium Pendant

H: 359mm W: 240mm

Drop Range: 583mm - 1499mm (Supplied with 1 x 152mm and 3 x

305mm rods.)

Finish: Dark aged Brass (DAB) Max. Wattage: 1 x 75W E27

27713

1lt Large Pendant

H: 521mm W: 355mm

Drop Range: 766mm - 1680mm (Supplied with 1 \times 152mm and 3 \times

305mm rods.)

Finish: Dark Aged Brass (DAB) Max. Wattage: 1 x 75W E27

27711

3lt Island Chandelier

H: 359mm W: 914mm P: 240mm **Drop Range**: 578mm - 1492mm (Supplied with 2 x 152mm and 6 x 305mm rods.)

Finish: Dark Aged Brass (DAB)

Max. Wattage: 3 x 75W E27

- · industrial inspired pendants
- · pivot detail adds authenticity
- · clear seedy glass shade(s)

1lt Large Pendant

H: 521mm W: 355mm

Drop Range: 766mm - 1680mm (Supplied with 1×152 mm and 3×10^{-1} mm)

305mm rods.)
Finish: Satin Nickel (SN)
Max. Wattage: 1 x 75W E27

27716

1lt Medium Pendant

H: 359mm **W**: 240mm **Drop Range:** 583mm - 1499mm

(Supplied with 1 x 152mm and 3 x 305mm rods.)

Finish: Satin Nickel (SN)
Max. Wattage: 1 x 75W E27

27712

3lt Island Chandelier

H: 359mm W: 914mm P: 240mm Drop Range: 578mm - 1492mm (Supplied with 2 \times 152mm and 6 \times 305mm rods.)

Finish: Satin Nickel (SN)

Max. Wattage: 3 x 75W E27





- modern twist on the traditional canning jars
- · cluster pendants available
- clear glass shows off the lamps - vintage LED style recommended

3lt Flush Mount

H: 201mm W: 282mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 3 x 60W E27

25920

1lt Wall Light

H: 292mm W: 127mm P: 159mm Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 x 60W E27

25922

6lt Pendant

H: 197mm W: 305mm Drop Range: 253mm - 2870mm (Supplied with 3000mm of cord.) Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 6 x 60W E27

Supplied with a ring accessory to hold cables closer together.

25921

3lt Pendant

H: 197mm W: 216mm Drop Range: 253mm - 2870mm (supplied with 3000mm of cord.) Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 3 × 60W E27

Supplied with a ring accessory to hold cables closer together.

25919

1lt Mini Pendant

H: 197mm W: 121mm Drop Range: 253mm - 2870mm (Supplied with 3000mm of cord.) Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 1 x 60W E27



Model shown: 27836 (shown with ring accessory included with 3 and 6 light pendants)





27835 *f* 225.00

00



77. 1.

27833 £90.00





- modern twist on the traditional canning jars
- · cluster pendants available
- clear glass shows off the lamps - vintage LED style recommended

27831

3lt Flush Mount

H: 201mm W: 282mm Finish: Brushed Nickel (BN) Max. Wattage: 3 × 60W E27

27835

3lt Pendant

H: 197mm W: 216mm Drop Range: 253mm - 2870mm (Supplied with 3000mm of cord.) Finish: Brushed Nickel (BN)

Max. Wattage: 3 × 60W E27 Supplied with a ring accessory to hold cables closer together.

27834

1lt Light Wall Light

H: 292mm W: 127mm P: 159mm Finish: Brushed Nickel (BN) Max. Wattage: 1 x 60W E27

27833

1lt Mini Pendant

H: 197mm W: 121mm Drop Range: 253mm - 2870mm (Supplied with 3000mm of cord.) Finish: Brushed Nickel (BN) Max. Wattage: 1 × 60W E27

27836

6lt Pendant

H: 197mm W: 305mm **Drop Range**: 253mm - 2870mm (Supplied with 3000mm of cord.) **Finish:** Brushed Nickel (BN) **Max. Wattage**: 6 × 60W E27

Supplied with a ring accessory to hold cables closer together.

- simple but chic open frame fittings
- · vintage and understated style
- recommend LED filament lamps to complete the look

24772 £257.50

24771

£145.00

24772

4lt Semi-Flush

H: 267mm W: 457mm Finish: Dark Brown (DBR) Max. Wattage: 4 x 60W E27

24771

1lt Mini Pendant

H: 279mm W: 165mm Drop Range: 359mm - 1259mm (Supplied with 2 x 300mm & 2 x 150mm rods.) Finish: Dark Brown (DBR)

Max. Wattage: 1 x 60W E27

26116

5lt Island Chandelier

H: 241mm W: 965mm D: 305mm Drop Range: 370mm - 1270mm (Supplied with 4 x 300mm & 4 x 150mm rods.) Finish: Dark Brown (DBR)

Max. Wattage: 5 x 60W E27



80





Model shown: 25656







- sleek frame creates a transitional style
- · clear seeded glass
- 25656 has a square linked chain

52470

2lt Semi-Flush Mount

H: 257mm W: 381mm Finish: Polished Nickel (PN) Max. Wattage: 2 x 60W E27

25655

2lt Flush Mount

H: 165mm W: 349mm Finish: Polished Nickel (PN) Max. Wattage: 2 x 60W E27

25657

1lt Small Pendant

H: 305mm W: 203mm

Drop Range: 321mm - 1371mm (Supplied with 3 x 300mm & 1 x 150mm rods.)

Finish: Polished Nickel (PN) Max. Wattage: 1 × 60W E27

25656

1lt Medium Pendant

H: 441mm **W**: 406mm

Drop Range: 584mm - 2108mm (Supplied with 1524mm of chain.) Finish: Polished Nickel (PN) Max. Wattage: 1 x 60W E27

- oversized blown glass pendants
- · chrome with clear glass
- · bronze with seeded glass
- recommended vintage style LED filament lamps

1lt Small Pendant

H: 387mm W: 268mm **Drop Range**: 615mm - 1372mm (Supplied with 2 x 152mm & 2 x 305mm rods.) **Finish**: Dark Brown (DBR)

Max. Wattage: 1 x 60W E27

27861

1lt Small Pendant

H: 387mm W: 268mm Drop Range: 615mm - 1372mm (Supplied with 2 x 152mm & 2 x 305mm rods.) Finish: Polished Chrome (PC) Max. Wattage: 1 x 60W E27

27860

1lt Medium Pendant

H: 508mm W: 350mm Drop Range: 730mm - 1499mm (Supplied with 2 x 152mm & 2 x 305mm rods.) Finish: Dark Brown (DBR) Max. Wattage: 1 x 60W E27

27859

1lt Medium Pendant

H: 508mm W: 350mm Drop Range: 730mm - 1499mm (Supplied with 2 x 152mm & 2 x 305mm rods.) Finish: Polished Chrome (PC) Max. Wattage: 1 x 60W E27





- vintage warehouse style pendants
- · opal glass domes
- unusual square linked chain (Supplied with 1524mm of chain.)

25617

1lt Mini Pendant/Semi-Flush

H: 276mm W: 203mm

Drop Range: 432mm - 1956mm **Finish:** Black and Natural Brass (BKNB)

Max. Wattage: 1 x 75W E27

Duo-mount/semi-flush convertible.

25616

1lt Mini Pendant/Semi-Flush

H: 276mm W: 203mm

Drop Range: 432mm - 1956mm **Finish:** Polished Nickel / Brushed

Steel (PNBS)

Max. Wattage: 1 x 75W E27 Duo-mount/semi-flush convertible.

25621

2lt Flush Mount

H: 117mm W: 330mm Finish: Natural Brass (NB)

Max. Wattage: $2 \times 75W$ E27

25620

2lt Flush Mount

H: 117mm W: 330mm

Finish: Polished Nickel / Brushed Steel (PNBS)

Max. Wattage: 2 x 75W E27

25618

2lt Pendant/Semi-Flush

H: 333mm W: 330mm

Drop Range: 483mm - 2007mm **Finish:** Polished Nickel / Brushed

Steel (PNBS)

Max. Wattage: 2 x 75W E27

Duo-mount/semi-flush convertible.

25619

2lt Pendant/Semi-Flush

H: 333mm W: 330mm

Drop Range: 483mm - 2007mm **Finish:** Black and Natural Brass (BKNB)

Max. Wattage: 2 x 75W E27

Duo-mount/semi-flush convertible.



Model shown: 27691



- retro 1970s style
- spun steel shades with painted white inside
- · adjustable black cable

24853

1lt Small Pendant

H: 244mm W: 179mm

Drop Range: 281mm - 4853mm (Supplied with 4572mm of cord.) Finish: Dark Brown (DBR) Max. Wattage: 1 × 60W E27

27691

1lt Large Pendant

H: 405mm **W**: 456mm

Drop Range: 457mm - 4778mm (Supplied with 4572mm of cord.) Finish: Dark Brown (DBR) Max. Wattage: 1 x 100W E27

24854

1lt Medium Pendant

H: 266mm W: 254mm

Drop Range: 303mm - 4875mm (Supplied with 4572mm of cord.) Finish: Dark Brown (DBR) Max. Wattage: 1 x 60W E27

24856

1lt Medium Pendant

H: 266mm W: 254mm Drop Range: 303mm - 4875mm (Supplied with 4572mm of cord.)

Finish: Brushed Steel (BS)
Max. Wattage: 1 × 60W E27

24855

1lt Small Pendant

H: 244mm **W**: 179mm

Drop Range: 281mm - 4853mm (Supplied with 4572mm of cord.) **Finish:** Brushed Steel (BS)

Max. Wattage: 1 × 60W E27

27690

1lt Large Pendant

H: 405mm W: 456mm Drop Range: 457mm - 4778mm (Supplied with 4572mm of cord.) Finish: Brushed Steel (BS)

Max. Wattage: 1 × 100W E27



Model shown: 23454



- influenced by industrial lamps of the 1900s
- antique mirror glass reflections
- recommend to use LED vintage style filament lamps
- · adjustable cord length

25717

1lt Wall Light

H: 248mm W: 197mm P: 153mm Finish: Light Bronze (LBZ) Max. Wattage: 1 x 100W E27

23457

1lt Mini Pendant

H: 92mm W: 302mm

Drop Range: 147mm - 4647mm (Supplied with 4500mm of

adjustable cord.)
Finish: Light Bronze (LBZ)

Max. Wattage: 1 x 60W E27

23454

1lt Mini Pendant

H: 235mm W: 254mm

Drop Range: 290mm - 4790mm (Supplied with 4500mm of cord.) **Finish:** Speckled Black (SPBK)

Max. Wattage: 1 x 60W E27



Model shown: 24763



- · classic American style diner pendants
- · medium and triple isle light have prismatic lens diffusers
- · detailed castings on top of shades

24761

1lt Medium Pendant

H: 292mm W: 343mm Drop Range: 377mm - 1277mm (Supplied with 2 x 300mm & 2 x

150mm rods.) Finish: Oil Rubbed Bronze (ORB)

Max. Wattage: 1 x 60W E27

24759

1lt Mini Pendant

H: 229mm W: 203mm

Drop Range: 314mm - 1214mm (Supplied with 2 x 300mm & 2 x 150mm rods.)

Finish: Oil Rubbed Bronze (ORB)

Max. Wattage: 1 × 60W E27

24763

3lt Island Chandelier

H: 587mm W: 1334mm D: 330mm Drop Range: 730mm - 1984mm (Supplied with 4 x 150mm rods and 4 x 300mm rods.)

Finish: Oil Rubbed Bronze (ORB) Max. Wattage: 3 x 60W E27



- classic American style diner pendants
- medium and triple isle light have prismatic lens diffusers
- detailed castings on top of shades

1lt Medium Pendant

H: 292mm W: 343mm Drop Range: 377mm - 1277mm (Supplied with 2 x 150mm rods and 2 x 300mm rods.) Finish: Aged Brass (AB) Max. Wattage: 1 x 60W E27

27151

1lt Mini Pendant

H: 229mm W: 203mm Drop Range: 314mm - 1214mm (Supplied with 2 x 150mm rods and 2 x 300mm rods) Finish: Aged Brass (AB) Max. Wattage: 1 x 60W E27


27153

3lt Island Chandelier

H: 587mm W: 1334mm D: 330mm Drop Range: 730mm - 1984mm (Supplied with 4 x 150mm rods and 4 x 300mm rods.) Finish: Aged Brass (AB) Max. Wattage: 3 x 60W E27







 detailed castings on top of shades

24760

1lt Medium Pendant

H: 292mm W: 343mm Drop Range: 377mm - 1277mm (Supplied with 2 x 300mm & 2 x 150mm rods.) Finish: Polished Nickel (PN)

Max. Wattage: 1 x 60W E27

24758

1lt Mini Pendant

H: 229mm W: 203mm

Drop Range: 314mm - 1214mm (Supplied with 2 \times 300mm & 2 \times

150mm rods.)

Finish: Polished Nickel (PN) Max. Wattage: 1 × 60W E27

24762

3lt Island Chandelier

H: 587mm W: 1334mm D: 330mm Drop Range: 730mm - 1984mm (Supplied with 4 x 150mm rods and 4 x 300mm rods.) Finish: Polished Nickel (PN) Max. Wattage: 3 x 60W E27





- · blend of modern and traditional American style
- vintage LED filament lamps recommended to complete the look
- · clear seeded glass shades

3lt Semi-Flush Mount

H: 302mm W: 406mm Finish: Brushed Nickel (BN) Max. Wattage: 3 × 60W E27

58294

1lt Semi-Flush Mount

H: 248mm W: 305mm Finish: Brushed Nickel (BN) Max. Wattage: 1 x 60W E27

58292

3lt Island Pendant

Drop Range: mm - mm (Supplied with 1219mm of chain.) Finish: Brushed Nickel (BN) Max. Wattage: 3 × 60W E27









58313 £225.00

58311 £175.00





traditional American style

· blend of modern and

- vintage LED filament lamps recommended to complete the look
- · clear seeded glass shades

58313

3lt Flush Mount

H: 180mm W: 406mm Finish: Brushed Nickel (BN) Max. Wattage: 3 × 60W E27

58311

2lt Flush Mount

H: 147mm W: 305mm Finish: Brushed Nickel (BN) Max. Wattage: 2 × 60W E27

58291

3lt Island Pendant

H: 422mm W: 560mm Drop Range: mm - mm (Supplied with 1219mm of chain.) Finish: Brushed Nickel (BN) Max. Wattage: 3 × 60W E27

58290

1lt Wall Light

H: 241mm W: 199mm P: 225mm Finish: Brushed Nickel (BN) Max. Wattage: 1 × 60W E27

58290 £125.00





Model shown: 58205



- · vintage industrial influences
- 58204 & 58205 have seamless dome shade in Aged Zinc and etched opal glass
- · 52516 & 52517 have strong geometric form with robust metal frames

52517

1lt Pendant

H: 297mm W: 178mm Drop Range: 359mm - 2069mm

(Supplied with 1829mm cable.) Finish: Polished Nickel (PN) Max. Wattage: 1 × 60W E27

52516

1lt Pendant

H: 297mm W: 178mm

Drop Range: 359mm - 2069mm (Supplied with 1829mm cable.) Finish: Brushed Brass (BB) Max. Wattage: 1 x 60W E27

58205

2lt Pendant

H: 366mm W: 339mm

Drop Range: 652mm - 1262mm (Supplied with 2 x 305mm & 1 x 153mm rods.)

Finish: Aged Zinc with Dark Aged Brass (AZC/DAB)

Max. Wattage: 2 x 60W E27

58204

3lt Pendant

H: 499mm W: 457mm

Drop Range: 786mm - 1396mm (Supplied with 2 x 305mm & 1 x

153mm rods.)

Finish: Aged Zinc with Heritage

Brass (AZC/DAB)

Max. Wattage: 3 x 60W E27

- inspired by antique, vintage perfume bottles
- · clear ribbed glass
- · ideal for over kitchen islands

1lt Pendant

H: 255mm W: 223mm Drop Range: 353mm - 2153mm (Supplied with 2153mm wire.) Finish: Brushed Nickel (BN) Max. Wattage: 1 × 60W E27

58128

1lt Pendant

H: 281mm W: 152mm Drop Range: 379mm - 2179mm (Supplied with 2179mm wire.) Finish: Brushed Nickel (BN) Max. Wattage: 1 x 60W E27

58127

1lt Pendant

H: 270mm W: 147mm Drop Range: 368mm - 2168mm (Supplied with 2168mm wire.) Finish: Brushed Nickel (BN) Max. Wattage: 1 × 60W E27





- · ribbed glass design
- · vintage style
- metalwork available in brushed nickel, heritage brass or polished nickel

58201

1lt Pendant

H: 250mm W: 248mm Drop Range: 466mm - 1076mm (Supplied with 2 x 305mm & 1 x 153mm rods.) Finish: Brushed Nickel (BN)

Finish: Brushed Nickel (BN)

Max. Wattage: 1 x 60W E27

58203

1lt Pendant

H: 250mm W: 248mm Drop Range: 466mm - 1076mm (Supplied with 2 x 305mm & 1 x 153mm rods.)

Finish: Polished Nickel (PN) Max. Wattage: 1 x 60W E27

58202

1lt Pendant

H: 250mm W: 248mm **Drop Range:** 466mm - 1076mm (Supplied with 2 x 305mm & 1 x 153mm rods.)

Finish: Dark Aged Brass (DAB) Max. Wattage: 1 x 60W E27

- · eclectic variety of pendants
- traditional and modern styles to suit any decor
- · ideal for over kitchen islands

1lt Pendant

H: 707mm **W**: 300mm **Drop Range:** 766mm - 1529mm (Supplied with 2 x 305mm & 1 x

152mm rods.)

Finish: Brushed Graphite (BGR) Max. Wattage: 1 x 60W E27

52554

1lt Pendant

H: 816mm W: 260mm

Drop Range: 877mm - 1639mm (Supplied with 2×305 mm & 1×152 mm rods.)

Finish: Polished Nickel (PN)
Max. Wattage: 1 x 60W E27

52570

1lt Pendant

H: 294mm W: 356mm

Drop Range: 367mm - 2972mm (Supplied with 3048mm support wire.)

Finish: White/Gold (WGD)
Max. Wattage: 1 × 100W E27

52586

1lt Pendant

H: 328mm W: 274mm

Drop Range: 370mm - 3298mm (Supplied with 3048mm support cable.)

Finish: Dark Aged Brass (DAB) Max. Wattage: 1 x 60W E27













- · eclectic variety of pendants
- traditional and modern styles to suit any decor
- · ideal for over kitchen islands

52524

1lt Pendant

H: 514mm W: 352mm **Drop Range:** 740mm - 1654mm (Supplied with 3 x 305mm & 1 x 152mm rods.)

Finish: Polished Nickel (PN) Max. Wattage: 1 x 60W E14

58237

1lt Pendant

H: 478mm W: 195mm **Drop Range:** 610mm - 1513mm (Supplied with 2 x 152mm & 2 x 305mm rods.)

Finish: Polished Nickel (PN)
Max. Wattage: 1 x 60W E27

58206

1lt Mini-Pendant

H: 232mm W: 228mm **Drop Range:** 363mm - 1278mm (Supplied with)

Finish: Distressed Antique Grey (DAG)

Max. Wattage: 1 x 60W E14

52542

1lt Mini-Pendant

H: 270mm W: 146mm Drop Range: 340mm - 4792mm (Supplied with 4572mm cable), Finish: Polished Chrome (PC) Max. Wattage: 1 x 60W E27

- · eclectic variety of pendants
- traditional and modern styles to suit any decor

2lt Pendant

H: 178mm W: 300mm Drop Range: 192mm-1218mm (Supplied with 2 x 305mm 2 x 152mm & 1 x 75mm rods.) Finish: Dark Brown/Aged Brass (DBAB)

Max. Wattage: 2 x 60W E27

52546

1lt Pendant

H: 386mm W: 250mm Drop Range: 475mm - 2003mm (Supplied with 1500mm chain.) Finish: Gunmetal (GM) Max. Wattage: 1 × 60W E27

52447

1lt Pendant

H: 192mm W: 150mm Drop Range: 265mm - 3044mm (Supplied with 3000mm cable.) Finish: Cream/Aged Brass (CAB) Max. Wattage: 1 × 60W E14

52441

2lt Pendant


H: 178mm W: 300mm Drop Range: 192mm-1218mm (Supplied with 2 x 305mm 2 x 152mm & 1 x 75mm rods.) Finish: White/Polished Nickel (WPN)

Max. Wattage: 2 x 60W E27









102



- · eclectic variety of pendants
- traditional and modern styles to suit any decor

58251

1lt Pendant

H: 348mm W: 155mm Drop Range: 443mm - 2293mm (Supplied with 2293mm wire.) Finish: Polished Nickel (PN) Max. Wattage: 1 x 60W E27

58266

1lt Pendant

H: 268mm W: 170mm Drop Range: 358mm - 2208mm (Supplied with 2208mm wire.) Finish: Polished Nickel (PN) Max. Wattage: 1 x 60W E27

58273

1lt Pendant

H: 237mm W: 175mm Drop Range: 337mm - 2192mm (Supplied with 2192mm wire.) Finish: Brushed Brass (BB) Max. Wattage: 1 x 60W E14

58274

1lt Pendant

H: 237mm W: 175mm Drop Range: 337mm - 2192mm (Supplied with 2192mm wire.) Finish: Polished Nickel (PN) Max. Wattage: 1 × 60W E14

- All lamps have an A+ Energy Rating and are guaranteed against failure for 2 years.
- All lamps are UV free, suitable for 220-240v and are NOT dimmable

Edison LED E27 lamp

H: 140mm W: 64mm

Wattage: 8W (60W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 800 Lm

Classic LED E27 lamp

H: 105mm **W**: 60mm

Wattage: 8W (60W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 800 Lm

Switch Cycles: 12,500

Clear Globe LED E27 lamp

H: 135mm W: 95mm

Wattage: 8W (60W equivalent)
Colour temp.: 3000k (warm white)
Expected Life: 25,000 hours

Lumens: 800 Lm Switch Cycles: 12,500

White Globe LED E27 lamp

H: 135mm **W**: 95mm

Wattage: 8W (60W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 800 Lm

Switch Cycles: 12,500

Tubular LED E14 lamp

H: 105mm W: 27mm

Wattage: 4W (35W equivalent)
Colour temp.: 3000k (warm white)
Expected Life: 15.000 hours

Lumens: 420 Lm Switch Cycles: 15,000



EDISON LED E27 LAMP 28606 − £15.00



CLASSIC LED E27 LAMP 28605 − £13.00



CLEAR GLOBE LED E27 LAMP 28612 – £17.20



WHITE GLOBE LED E27 LAMP 28613 − £17.20



TUBULAR LED E14 LAMP 58090 - £10.00



CANDLE LED E14 LAMP 28602 – £8.00



GOLF BALL LED E27 LAMP 28604 – £8.00

Candle LED E14 lamp

LED LAMPS

for 2 years.
All lamps are UV free, suitable for 220-240v and are NOT dimmable

· All lamps have an A+

Energy Rating and are guaranteed against failure

H: 98mm W: 35mm Wattage: 4W (35W equivalent)

Colour temp.: 3000k (warm white)
Expected Life: 25,000 hours
Lumens: 400 Lm
Switch Cycles: 12,500

switch Cycles. 12,300

Golf Ball LED E27 lamp

H: 72mm W: 45mm

Wattage: 4W (35W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours

Lumens: 400 Lm Switch Cycles: 12,500

G9 LED lamp

H: 50mm W: 15mm

Wattage: 3.5W (28W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 320 Lm

Switch Cycles: 12,500

GX53 LED lamp

H: 24mm **W**: 75mm

Wattage: 9W (55W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours

Lumens: 720 Lm Switch Cycles: 12,500

Golf Ball LED E14 lamp

H: 78mm W: 45mm

Wattage: 4W (35W equivalent)
Colour temp.: 3000k (warm white)
Expected Life: 25,000 hours

Lumens: 400 Lm Switch Cycles: 12,500

GU10 LED lamp

H: 58mm W: 50mm

Wattage: 7W (50W equivalent) Colour temp.: 3000k (warm white) Expected Life: 25,000 hours Lumens: 620 Lm

Lumens: 620 Lm Switch Cycles: 12,500



G9 LED LAMP 27674 – £9.00



GX53 LED LAMP 29499 – £16.20



GOLF BALL LED E14 LAMP 28603 − £8.00



GU10 LED LAMP 27676 – £13.00



INDEX

24854 24855 24856 24990 24991 24992 25188 25189 25190 25589 25590 25591 25592 25616	87 87 87 72 72 72 72 72 72 65 65 65	25860 25861 25919 25920 25921 25922 25932 25933 25934 25935 26116 27151	81 81 77 77 77 77 77 8 9 8 9	27833 27834 27835 27836 27848 27849 27850 27851 27859 27860	79 79 79 79 35 35 35 35 44 84
24856 24990 24991 24992 25188 25189 25190 25589 25590 25591 25592	87 72 72 72 72 72 72 72 72 65 65	25919 25920 25921 25922 25932 25933 25934 25935 26116	77 77 77 77 77 8 9 8	27835 27836 27848 27849 27850 27851 27859 27860	79 79 35 35 35 35 35
24990 24991 24992 25188 25189 25190 25589 25590 25591 25592	72 72 72 72 72 72 72 65 65	25920 25921 25922 25932 25933 25934 25935 26116	77 77 77 77 8 9 9	27836 27848 27849 27850 27851 27859 27860	79 35 35 35 35 35 84
24991 24992 25188 25189 25190 25589 25590 25591 25592	72 72 72 72 72 72 65 65 65	25921 25922 25932 25933 25934 25935 26116	77 77 8 9 8	27848 27849 27850 27851 27859 27860	35 35 35 35 35 84
24992 25188 25189 25190 25589 25590 25591 25592	72 72 72 72 72 65 65 65	25922 25932 25933 25934 25935 26116	77 8 9 8 9	27849 27850 27851 27859 27860	35 35 35 84
25188 25189 25190 25589 25590 25591 25592	72 72 72 65 65 65	25932 25933 25934 25935 26116	8 9 8 9	27850 27851 27859 27860	35 35 84
25189 25190 25589 25590 25591 25592	72 72 65 65 65	25933 25934 25935 26116	9 8 9	27851 27859 27860	35 84
25190 25589 25590 25591 25592	72 65 65 65	25934 25935 26116	8	27859 27860	84
25589 25590 25591 25592	65 65 65	25935 26116	9	27860	
25590 25591 25592	65 65	26116			84
25591 25592	65	•	80		
25592		27151		27861	84
***************************************	65		92	27862	84
25616		27152	92	27864	47
	85	27153	92	27865	47
25617	85	27674	105	27866	47
25618	85	27676	105	27867	47
25619	85	27684	15	27882	44
25620	85	27685	15	27883	44
25621	85	27690	87	27884	44
25622	31	27691	87	27885	44
25623	31	27711	75	27922	46
25624	31	27712	76	27923	46
25625	31	27713	75	27924	46
25655	83	27714	76	27925	46
25656	83	27715	75	28602	105
25657	83	27716	76	28603	105
25666	41	27717	34	28604	105
25667	41	27718	34	28605	104
25668	41	27735	19	28606	104
25683	59	27754	37	28612	104
25684	25	27755	37	28613	104
25699	19	27756	37	28624	17
25700	19	27795	40	28628	45
25701	19	27796	40	28629	57
25702	19	27801	81	28630	57
25703	19	27831	79	28631	57
25717	89	27832	77	28632	57
	25618 25619 25620 25621 25622 25623 25624 25625 25655 25656 25657 25666 25667 25668 25683 25684 25699 25700 25701 25702 25703	25618 85 25619 85 25620 85 25621 85 25622 31 25623 31 25624 31 25625 31 25655 83 25656 83 25657 83 25666 41 25667 41 25668 41 25683 59 25684 25 25699 19 25700 19 25701 19 25702 19 25703 19	25618 85 27676 25619 85 27684 25620 85 27685 25621 85 27690 25622 31 27691 25623 31 27712 25624 31 27712 25625 31 27714 25656 83 27714 25657 83 27716 25666 41 27717 25667 41 27718 25683 59 27754 25684 25 27755 25699 19 27756 25700 19 27796 25702 19 27801 25703 19 27831	25618 85 27676 105 25619 85 27684 15 25620 85 27685 15 25621 85 27690 87 25622 31 27691 87 25623 31 27711 75 25624 31 27712 76 25625 31 27713 75 25655 83 27714 76 25656 83 27715 75 25657 83 27716 76 25666 41 27717 34 25667 41 27718 34 25683 59 27754 37 25684 25 27755 37 25699 19 27795 40 25701 19 27796 40 25702 19 27801 81 25703 19 27831 79	25618 85 27676 105 27867 25619 85 27684 15 27882 25620 85 27685 15 27883 25621 85 27690 87 27884 25622 31 27691 87 27885 25623 31 27711 75 27922 25624 31 27712 76 27923 25625 31 27713 75 27924 25655 83 27714 76 27925 25656 83 27715 75 28602 25657 83 27716 76 28603 25666 41 27717 34 28604 25667 41 27718 34 28605 25683 59 27754 37 28612 25684 25 27755 37 28613 25699 19 27756 37 28624 <

INDEX

28633	16	52442	102
28634	16	52447	102
28635	56	52452	58
28636	56	52453	58
28637	56	52470	83
28795	45	52516	97
29499	105	52517	97
30222	17	52522	25
30224	17	52524	101
30225	45	52542	101
30226	45	52546	102
30227	40	52552	100
30230	28	52554	100
30231	28	52570	100
30245	69	52586	100
30246	69	52593	21
30247	69	52594	20
30256	67	52595	20
30257	67	52596	21
30291	10	52597	21
30292	11	58090	104
30293	11	58109	12
30294	11	58110	12
30295	10	58126	98
30296	11	58127	98
30297	10	58128	98
30381	63	58135	73
30382	63	58136	73
30389	8	58141	73
30445	59	58142	73
30458	59	58155	32
30488	56	58156	32
30489	56	58157	32
30490	56	58158	32
31028	11	58178	27
31241	8	58179	26
52441	102	58180	27

58181	26
58182	27
58183	26
58201	99
58202	99
58203	99
58204	97
58205	97
58206	101
58209	54
58210	54
58211	54
58212	54
58213	55
58214	55
58215	55
58216	55
58219	39
58220	39
58221	39
58222	39
58230	33
58231	33
58232	33
58233	33
58237	101
58246	40
58251	103
58252	22
58253	23
58254	22
58255	23
58256	22
58257	23
58263	38
58264	38
58265	38

58266	103
58273	103
58274	103
58275	13
58276	13
58281	29
58282	29
58283	29
58284	29
58290	95
58291	95
58292	94
58293	94
58294	94
58306	55
58307	54
58311	95
58313	95

distinctivelightinguk.com

enquiries@distinctivelightinguk.com - Tel: 0330 094 8824

Catalogue Version 1